



2 Tech Drive
Andover, MA 01810
www.mksinst.com

EU Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

Supplier Statement

This Supplier Statement relates to those products of MKS Instruments, Inc. ("MKS") listed on Exhibit A hereto (the "Products"), which are referred to under REACH as "articles".

MKS hereby attests the Products are compliant with the reporting requirements of Article 33 of the European Union's REACH Regulation EC1907-2006 regarding Substances of Very High Concern (SVHC) and the products do not contain the specific substances described in Article 67 and Annex XVII (with amendments), requiring disclosure thereof.

Please note that this Supplier Statement is made with respect to the REACH requirements defined as of 17 Jan 2022 (223 substances) and the threshold limits therein, and that all information provided in this Supplier Statement is accurate to the best of our knowledge as of the date of this document. This Supplier Statement is made based on our internal engineering analysis along with technical information made available to MKS from its material suppliers.

MKS INSTRUMENTS, INC.

A handwritten signature in black ink, appearing to read "Gwen Briens", written over a horizontal line.

Gwen Briens
Vice-President and General Manager
Instruments, Motion and CVC BU

May 25, 2022

Date

Please visit the MKS web site for our corporate position statement on the REACH regulation:
<http://www.mksinst.com/docs/ur/MKS-reach.pdf>



EXHIBIT A

MKS Product Number	MKS Product Description	REACH SVHC Substance	CAS Number	Actual Substance Level
AJS8-100-02H	ASSY,AJS SCR,HEX,MINI,100TPI,6.35MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS100-0.5K	ASSY, AJS SCREW, LG KNOB,100TPI, 12.7mm	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS100-02H	ASSY,AJS SCREW,HEX,100 TPI, 6.35MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS127-02H	ASSY,AJS SCREW,HEX,127 TPI,6.35MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS20-0.5	ASSY,AJS SCREW,KNOB,20 TPI, 12.7MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS8-100-0.5	ASSY,AJS SCREW,MINI,KNOB,100 TPI, 12.7MM	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS8-100-0.5H	ASSY,AJS SCR,HEX,MINI,100TPI,12.7MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS100-0.5	ASSY,AJS SCREW,KNOB,100 TPI, 12.7MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS100-0.5-PK	AJS100-0.5-PK PROMO PACK	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS100-0.5K	ASSY,AJS SCREW,LG KNOB,100TPI, 12.7mm	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS100-0.5K-NL	ASSY,AJS SCREW,LG KNOB,100TPI, 12.7mm	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS100-0.5H	ASSY,AJS SCREW,HEX,100 TPI,12.7MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS100-0.5H-NL	ASSY,AJS SCREW,HEX,100TPI, 12.7MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS127-0.5K	ASSY,AJS SCREW,LG KNOB,127TPI, 12.7mm	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS127-0.5H	ASSY,AJS SCREW,HEX,127 TPI,12.7MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w



AJS170-0.5K-NL	ASSY, FINE AJUSTMENT SCREW, KNOB	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS170-0.5K-NL-PK	ASSY, FINE ADJ SCREW, KNOB, PACK OF 6	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS170-0.5H-NL	ASSY, FINE AJUSTMENT SCREW, HEX	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS170-0.5H-NL-PK	ASSY, FINE ADJ SCREW, HEX, PACK OF 6	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS254-0.5K-NL	ASSY, EXTRA-FINE AJS, KNOB	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS254-0.5K-NL-6	ASSY, EXTRA-FINE AJS, KNOB, PACK OF 6	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS254-0.5H-NL-6	ASSY, EXTRA-FINE AJS, HEX, PACK OF 6	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS254-0.5H-NL	ASSY, EXTRA-FINE AJS, HEX	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS20-1	ASSY,AJS SCREW,KNOB,20 TPI, 25.4MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS8-100-1	ASSY,AJS SCREW,MINI,KNOB,100 TPI, 25.4MM	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS100-1	ASSY,AJS SCREW,KNOB,100 TPI, 25.4MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS100-1-PK	AJS100-1-PK PROMO PACK	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS100-1H	ASSY,AJS SCREW,HEX,100 TPI, 25.4MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS20-2	ASSY,AJS SCREW,KNOB,20 TPI, 50.8MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w
AJS100-2	ASSY,AJS SCREW,KNOB,100 TPI, 50.8MM TRVL	Lead (in Brass Alloy)	7439-92-1	< 4% w/w

If you have any questions about the details of this product notification, please contact MKS Instruments at REACH@mksinst.com